PURE PLANET

STAR STREAM 12 ICE / WATER DISPENSER



Innovative Design & Technology

- Hot, cold, and ambient water plus ice dispenser
- Touchless sensor operation
- Ergonomic comfort-height design



Advanced Hygiene Features

- Built in touch-less dispense
- State-of-the-art reverse osmosis purification
- Elegant "bullet" ice



Bullet-Proof Reliability

- Leak protection system
- Energy efficiency mode

Now with built in touchless dispense!





Pure Planet H2O Tel: 877-988-8044 pureplaneth2o.com office@pureplaneth2o.com

Certified by IAPMO in accordance with ANSI/NSF 372 for lead free products and certified by IAPMO R&T in accordance with UL 399 and CSA 22.2 for electrical safety.



STAR STREAM 12 ICE / WATER DISPENSER

					Description	Specification
Dual L	ED UV-C light		- to - T-L- 			
Closed system (added air					Weight	119.5 lbs (54.2 kg)
Hot, cold, and ambient			8		Dimensions	16.9"w x 58.7"h x 19.4"d
	water and bullet ice		•		Cold Tank Capacity	1.2 gallons (4.7 liters)
Touch-less operation						
	Increased dispense		58.	58.7"	Ambient Tank Capacity	4.5 gallons (16.9 liters)
height (from 8" to 10")					Hot Tank Capacity	1.2 gallons (4.6 liters)
New glass front						
Removable large drip tray					Ice Production	44 lbs/day (19.9 kg/day)
for easy cleaning					Ice Storage	8.8 lbs/day (4 kg/day)
State-of-the-art reverse osmosis purification				Dispense Area	10"	
					Recommended Water Pressure	60-70 psi
		19.4"	16.9"		Rated Voltage/ Frequency	110v/60Hz @ 6.5 amps
	*When used with Pure Planet H2O's proprietary filtration				Power Consumption	2.83 kWh/24 hours

Pure Planet H2O's Technology Purification Process



Sediment Filter

Reduces particles such as dirt, silt, rust, and pipe residue.



Pre-Carbon Filter

Reduces chlorine, chemicals, and pesticides.



Double Reverse Osmosis Membrane

Reduces dissolved solids, pharmaceuticals, and metals.



Post Carbon Filter

Final polishing filter ensures great taste.



Pure Planet H2O Tel: 877-988-8044 pureplaneth2o.com office@pureplaneth2o.com

Certified by IAPMO in accordance with ANSI/NSF 372 for lead free products and certified by IAPMO R&T in accordance with UL 399 and CSA 22.2 for electrical safety.